



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/624,260

07/22/2003

Foot Shen Wong

02-0146

7340

74878

7590

07/14/2008

O2MICRO INC

C/O MURABITO, HAO & BARNES LLP

TWO NORTH MARKET STREET

THIRD FLOOR

SAN JOSE, CA 95113

EXAMINER

PARRIES, DRU M

ART UNIT

PAPER NUMBER

2836

MAIL DATE

DELIVERY MODE

07/14/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/624,260	Applicant(s) WONG ET AL.	
	Examiner DRU M. PARRIES	Art Unit 2836	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 April 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-27 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-27 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed April 7, 2008 have been fully considered but they are not persuasive. Regarding the Applicant's arguments regarding the newly added limitations to the independent claims, the scope of the claim didn't change very much, if at all. Also, the Applicant didn't explicitly point out details of the claim limitations that differ from the prior art and how they differ. Therefore, the Examiner still believes that the references used in the previous rejection still read on these claim limitations.
2. For example, Alfrey explicitly teaches a controller controlling power switches and a current source switch. Also, Carobolante teaches selecting either a PWM or a linear powering mode, and the idea of controlling a switchover point between the two modes is a matter of design choice. Finally, Gay teaches a power distribution system where providing a wide range of load currents to loads involves minimizing ripple current in the output voltage.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
4. Claims 13-16 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. These claims state that the PWM powering mode is a low current mode and the linear

powering mode is a high current mode, however, throughout the specification the modes have been the opposite (i.e. PWM mode is the high current mode and vice versa). The Examiner will examine these claims the way they are taught in the specification (i.e. claims 13 and 14 are regarding the linear powering mode and claims 15 and 16 are regarding the PWM mode).

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1-8 and 10-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Carobolante (6,084,378), Alfrey (2003/0103364), and Gay (6,791,390). Carobolante teaches a current source (V_M) and four power switches forming an H-bridge circuit selectively coupled to supply current to a load. He also teaches a plurality of power switch driving circuits (not shown) to control the conduction state of the power switches to selectively couple at least two power switches to a PWM signal. Carobolante teaches two modes of operation: a linear mode for periods of low current consumption and a PWM mode for periods of higher current consumption. Also, the current associated with the PWM signal is zero during the time, just before switchover, while the linear current is being supplied. He also teaches the idea of adding additional circuitry to drive the load with linear current from the current source. Carobolante also teaches that the condition under which a PWM current or a linear current is used to power the load is a matter of design choice for one skilled in the art. Therefore, it is taught that any desired type of output condition (i.e. a specified ripple current), which is known to one of

Art Unit: 2836

ordinary skill in the art, can be controlled and implemented by the linear current source and PWM signal of Carobolante's invention. (Col. 1, lines 30-31; Col. 2, lines 17-23, 29-31; Col. 3, lines 40-46; Col. 14, lines 18-20, 22-29; Fig. 1). Carobolante fails to explicitly teach the desired output producing a specified ripple current, a system having two current sources, the load being a thermal electrical cooler, what the direction of current through the load defines, and a controller. Alfrey teaches a linear H-Bridge circuit, with fully on and fully off power switches, for supplying current to a load, such as a thermoelectric cooler. He also teaches the direction of current through the load to define a cooling or heating mode. He also teaches the circuit comprising two current sources (Fig. 7, 7A; 17 & 19) with current source switches (601), wherein one source is coupled to the load during a first period (i.e. heating) and the other is coupled during a second period (i.e. cooling) via current source switches ([0005] & [0044]). He also teaches a controller (21) to control switch driving circuits and the current source switch, wherein the controller comprises an input (22) representing the current to be flowing to the load. (Fig. 3A; [0033]) Alfrey also teaches the controller receiving a feedback signal from the load for controlling power delivered to the load at all times. ([0017]) It would have been obvious to one of ordinary skill in the art at the time of the invention to implement a thermoelectric cooler as the load and define the direction of current as either a cooling or heating mode because some applications of an H-Bridge circuit are used specifically for thermoelectric coolers and the heating and cooling modes are necessary for the cooler to function properly (inherent). It also would have been obvious to one of ordinary skill in the art at the time of the invention to implement two current sources in the circuit to control the magnitude of the current being supplied to the load. Also, this combination means that the first current source will be decoupled

Art Unit: 2836

from the load at some point during PWM powering mode. It would have been obvious to one of ordinary skill in the art at the time of the invention to add Alfrey's controller to Carobolante's invention since Carobolante didn't explicitly state how his switch driving circuits were being controlled. Also, with the modifications of Alfrey into Carobolante's invention, the input (22) to the controller represents the threshold to achieve a specified ripple current for the switchover point based on the current to be supplied and that determines whether Carobolante's system will use the linear mode (low current) or the PWM mode (high current). Gay teaches a power distribution system including a semiconductor device that is formed to function as a voltage regulator (Abstract). He goes on to teach the voltage regulator operating over a wide range of load currents and operable to minimize ripple current in the output voltage (Col. 2, lines 32-42). Therefore, Gay teaches a system where a specific ripple current is achieved at all times (i.e. less than X amps; where X is greater than zero). It would have been obvious to one of ordinary skill in the art at the time of the invention to control the system of Carobolante to always produce an output voltage with a specified ripple current (less than X amps) to the load to minimize the possibility of malfunction and to provide a more precise output voltage.

7. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Carobolante (6,084,378), Alfrey (2003/0103364), and Gay (6,791,390) as applied to claim 1 above, and further in view of Walter (2003/0155813). Carobolante, Gay, and Alfrey teach an H-Bridge circuit as described above. The two references fail to teach a filter circuit coupled between some switches and the load. Walter teaches a filter circuit (34, 36) coupled between two of four switches and the load (Fig. 1; [0034]). It would have been obvious to one of ordinary skill in the

art at the time of the invention to incorporate a filter circuit for attenuating harmonic distortion in the output voltage.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dru M. Parries whose telephone number is (571) 272-8542. The examiner can normally be reached on Monday -Thursday from 9:00am to 6:00pm. The examiner can also be reached on alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Sherry, can be reached on 571-272-2084. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2836

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DMP

7-8-2008

/Stephen W Jackson/

Primary Examiner, Art Unit 2836